

References

1. Ryan SW, Littrell KH, Sowers C, Peabody CD. *Solutions for wellness*. Indianapolis, IN: Eli Lilly; 2000.
2. Allison DB, Mentore JL, Heo M, et al. Antipsychotic-induced weight gain: a comprehensive research synthesis. *Am J Psychiatry*. Nov 1999;156(11):1686-1696.
3. Kinon BJ, et al. Data on file. *Janssen Pharmaceutica, Pfizer Inc*. 1998.
4. Jones. Data on file. *Janssen Pharmaceutica, Pfizer Inc*. 1999.
5. Barrett E, Mensing C, Horbowicz J, Siminerio L. Passing the torch at the international diabetes Federation. *Diabetes Care*. Apr 2004;27(4):1015-1016.
6. MacFarlane IA, Gill GV, Finnegan D, Pinkney J. Diabetes in a high secure hospital. *Postgrad Med J*. Jan 2004;80(939):35-37.
7. Ryan MC, Collins P, Thakore JH. Impaired fasting glucose tolerance in first-episode, drug-naive patients with schizophrenia. *Am J Psychiatry*. Feb 2003;160(2):284-289.
8. Gianfrancesco FD, Grogg AL, Mahmoud RA, Wang RH, Nasrallah HA. Differential effects of risperidone, olanzapine, clozapine, and conventional antipsychotics on type 2 diabetes: findings from a large health plan database. *J Clin Psychiatry*. Oct 2002;63(10):920-930.
9. Wirshing DA, Boyd JA, Meng LR, Ballon JS, Marder SR, Wirshing WC. The effects of novel antipsychotics on glucose and lipid levels. *J Clin Psychiatry*. Oct 2002;63(10):856-865.
10. Gianfrancesco F, White R, Wang RH, Nasrallah HA. Antipsychotic-induced type 2 diabetes: evidence from a large health plan database. *J Clin Psychopharmacol*. Aug 2003;23(4):328-335.
11. Clinical Guidelines on the Identification, Evaluation, and Treatment of Overweight and Obesity in Adults--The Evidence Report. National Institutes of Health. *Obes Res*. Sep 1998;6(Suppl 2):51S-209S.
12. Chan JM, Rimm EB, Colditz GA, Stampfer MJ, Willett WC. Obesity, fat distribution, and weight gain as risk factors for clinical diabetes in men. *Diabetes Care*. Sep 1994;17(9):961-969.
13. Colditz GA, Willett WC, Stampfer MJ, et al. Weight as a risk factor for clinical diabetes in women. *Am J Epidemiol*. Sep 1990;132(3):501-513.
14. Colditz GA, Willett WC, Rotnitzky A, Manson JE. Weight gain as a risk factor for clinical diabetes mellitus in women. *Ann Intern Med*. Apr 1 1995;122(7):481-486.
15. Willett WC, Manson JE, Stampfer MJ, et al. Weight, weight change, and coronary heart disease in women. Risk within the 'normal' weight range. *Jama*. Feb 8 1995;273(6):461-465.
16. Hubert HB, Feinleib M, McNamara PM, Castelli WP. Obesity as an independent risk factor for cardiovascular disease: a 26-year follow-up of participants in the Framingham Heart Study. *Circulation*. May 1983;67(5):968-977.
17. Rexrode KM, Hennekens CH, Willett WC, et al. A prospective study of body mass index, weight change, and risk of stroke in women. *Jama*. May 21 1997;277(19):1539-1545.
18. Stampfer MJ, Maclure KM, Colditz GA, Manson JE, Willett WC. Risk of symptomatic gallstones in women with severe obesity. *Am J Clin Nutr*. Mar 1992;55(3):652-658.
19. Cicuttini FM, Baker JR, Spector TD. The association of obesity with osteoarthritis of the hand and knee in women: a twin study. *J Rheumatol*. Jul 1996;23(7):1221-1226.
20. Loubé DI, Loubé AA, Mitler MM. Weight loss for obstructive sleep apnea: the optimal therapy for obese patients. *J Am Diet Assoc*. Nov 1994;94(11):1291-1295.
21. Huang Z, Hankinson SE, Colditz GA, et al. Dual effects of weight and weight gain on breast cancer risk. *Jama*. Nov 5 1997;278(17):1407-1411.

22. Schottenfeld D, Fraumeni JF. *Cancer Epidemiology and Prevention*. New York: Oxford University Press; 1996.
23. Lehman AF, Lieberman JA, Dixon LB, et al. Practice guideline for the treatment of patients with schizophrenia, second edition. *Am J Psychiatry*. Feb 2004;161(2 Suppl):1-56.
24. Services USDoHaH. Practical Guide to the Identification, Evaluation, and Treatment of Overweight and Obesity in Adults. *National Institutes of Health*. Available at: http://www.nhlbi.nih.gov/guidelines/obesity/ob_gdlns.pdf. Accessed February, 2004.
25. Yanovski SZ, Yanovski JA. Obesity. *N Engl J Med*. Feb 21 2002;346(8):591-602.
26. Fanghanel G, Cortinas L, Sanchez-Reyes L, Berber A. A clinical trial of the use of sibutramine for the treatment of patients suffering essential obesity. *Int J Obes Relat Metab Disord*. Feb 2000;24(2):144-150.
27. Fujioka K, Seaton TB, Rowe E, et al. Weight loss with sibutramine improves glycaemic control and other metabolic parameters in obese patients with type 2 diabetes mellitus. *Diabetes Obes Metab*. Jun 2000;2(3):175-187.
28. Ryan DH. Use of sibutramine and other noradrenergic and serotonergic drugs in the management of obesity. *Endocrine*. Oct 2000;13(2):193-199.
29. Bray GA, Blackburn GL, Ferguson JM, et al. Sibutramine produces dose-related weight loss. *Obes Res*. Mar 1999;7(2):189-198.
30. McMahan FG, Fujioka K, Singh BN, et al. Efficacy and safety of sibutramine in obese white and African American patients with hypertension: a 1-year, double-blind, placebo-controlled, multicenter trial. *Arch Intern Med*. Jul 24 2000;160(14):2185-2191.
31. Heck AM, Yanovski JA, Calis KA. Orlistat, a new lipase inhibitor for the management of obesity. *Pharmacotherapy*. Mar 2000;20(3):270-279.
32. Davidson MH, Hauptman J, DiGirolamo M, et al. Weight control and risk factor reduction in obese subjects treated for 2 years with orlistat: a randomized controlled trial. *Jama*. Jan 20 1999;281(3):235-242.
33. Sjostrom L, Rissanen A, Andersen T, et al. Randomised placebo-controlled trial of orlistat for weight loss and prevention of weight regain in obese patients. European Multicentre Orlistat Study Group. *Lancet*. Jul 18 1998;352(9123):167-172.
34. Dursun SM, Devarajan S. Clozapine weight gain, plus topiramate weight loss. *Can J Psychiatry*. Mar 2000;45(2):198.
35. Littrell KH, Petty RG, Hiligoss NM, Peabody CD, Johnson CG. Weight loss with topiramate. *Ann Pharmacother*. Sep 2001;35(9):1141-1142.
36. Gordon A, Price LH. Mood stabilization and weight loss with topiramate. *Am J Psychiatry*. Jun 1999;156(6):968-969.
37. Norton J, Potter D, Edwards K. Sustained weight loss with topiramate. *American Journal of Psychiatry*. 1997;38(Suppl 3):58.
38. Chengappa KN, Levine J, Rathore D, Parepally H, Atzert R. Long-term effects of topiramate on bipolar mood instability, weight change and glycemic control: A case-series. *European Psychiatry*. 2001;16:186-190.
39. Behar D, Schaller JL. Topiramate leukopenia on clozapine. *Eur Child Adolesc Psychiatry*. Feb 2004;13(1):51-52.
40. Morrison JA, Cottingham EM, Barton BA. Metformin for weight loss in pediatric patients taking psychotropic drugs. *Am J Psychiatry*. Apr 2002;159(4):655-657.
41. Bailey CJ, Turner RC. Metformin. *N Engl J Med*. Feb 29 1996;334(9):574-579.

42. Baruch R, Poulin M, Thakur A, Karangianis J, Raskin J. Amantadine induces weight loss in patients treated with olansapine. *Schizophrenia Research*. 2002;53(3 Suppl 1):159.
43. Sacchetti E, Guarneri L, Bravi D. H(2) antagonist nizatidine may control olanzapine-associated weight gain in schizophrenic patients. *Biol Psychiatry*. Jul 15 2000;48(2):167-168.
44. Breier A, Tanaka Y, Roychowdhurym S, Clark WS. Nizatidine for the prevention of olanzapine-associated weight gain in schizophrenia and realated disorders-a randomized controll double-blind study. Paper presented at: 41st New Clinical Drug Evaluation Unit, 2001; Phoenix, AZ.
45. Schiefler P. Partnership for recovery: (Available from Center for Excellence in Psychiatry, University Behavioral Healthcare, 151 Centennial Avenue, Suite 1500, Piscataway, NJ, 08854); 2002.

Appendix A

BMI Index Table

Find height on left-hand side, move to the right until you come to weight, look at the top row for the corresponding BMI.

BMI	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35
Height (inches)	Weight (pounds)																
58	91	96	100	105	110	115	119	124	129	134	138	143	148	153	158	162	167
59	94	99	104	109	114	119	124	128	133	138	143	148	153	158	163	168	173
60	97	102	107	112	118	123	128	133	138	143	148	153	158	163	168	174	179
61	100	106	111	116	122	127	132	137	143	148	153	158	164	169	174	180	185
62	104	109	115	120	126	131	136	142	147	153	158	164	169	175	180	186	191
63	107	113	118	124	130	135	141	146	152	158	163	169	175	180	186	191	197
64	110	116	122	128	134	140	145	151	157	163	169	174	180	186	192	197	204
65	114	120	126	132	138	144	150	156	162	168	174	180	186	192	198	204	210
66	118	124	130	136	142	148	155	161	167	173	179	186	192	198	204	210	216
67	121	127	134	140	146	153	159	166	172	178	185	191	198	204	211	217	223
68	125	131	138	144	151	158	164	171	177	184	190	197	203	210	216	223	230
69	128	135	142	149	155	162	169	176	182	189	196	203	209	216	223	230	236
70	132	139	146	153	160	167	174	181	188	195	202	209	216	222	229	236	243
71	136	143	150	157	165	172	179	186	193	200	208	215	222	229	236	243	250
72	140	147	154	162	169	177	184	191	199	206	213	221	228	235	242	250	258
73	144	151	159	166	174	182	189	197	204	212	219	227	235	242	250	257	265
74	148	155	163	171	179	186	194	202	210	218	225	233	241	249	256	264	272
75	152	160	168	176	184	192	200	208	216	224	232	240	248	256	264	272	279
76	156	164	172	180	189	197	205	213	221	230	238	246	254	263	271	279	287

BMI	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54
Height (inches)	Weight (pounds)																		
58	172	177	181	186	191	196	201	205	210	215	220	224	229	234	239	244	248	253	258
59	178	183	188	193	198	203	208	212	217	222	227	232	237	242	247	252	257	262	267
60	184	189	194	199	204	209	215	220	225	230	235	240	245	250	255	261	266	271	276
61	190	195	201	206	211	217	222	227	232	238	243	248	254	259	264	269	275	280	285
62	196	202	207	213	218	224	229	235	240	246	251	256	262	267	273	278	284	289	295
63	203	208	214	220	225	231	237	242	248	254	259	265	270	278	282	287	293	299	304
64	209	215	221	227	234	238	244	250	256	262	267	273	279	285	291	296	302	308	314
65	216	222	228	234	240	246	252	258	264	270	276	282	288	294	300	306	312	318	324
66	223	229	235	241	247	253	260	266	272	278	284	291	297	303	309	315	322	328	334
67	230	236	242	249	255	261	268	274	280	287	293	299	306	312	319	325	331	338	344
68	236	243	249	256	262	269	276	282	289	295	302	308	315	322	328	335	341	348	354
69	243	250	257	263	270	277	284	291	297	304	311	318	324	331	338	345	351	358	365
70	250	257	264	271	278	285	292	299	306	313	320	327	334	341	348	355	362	369	376
71	257	265	272	279	286	293	301	308	315	322	329	338	343	351	358	365	372	379	386
72	265	272	279	287	294	302	309	316	324	331	338	346	353	361	368	375	383	390	397
73	272	280	288	295	302	310	318	325	333	340	348	355	363	371	378	386	393	401	408
74	280	287	295	303	311	319	326	334	342	350	358	365	373	381	389	396	404	412	420
75	287	295	303	311	319	327	335	343	351	359	367	375	383	391	399	407	415	423	431
76	295	304	312	320	328	336	344	353	361	369	377	385	394	402	410	418	426	435	443

Appendix B

Knowledge Assessment

Sessions 2 and 3:

1. Why must we eat?
 - a. To be socially accepted
 - b. To gain fuel and energy to make our bodies run
 - c. To maintain unhealthy eating habits
 - d. None of the above

2. How many servings of fruits and vegetables do we need each day?
 - a. 1-3
 - b. 2-4
 - c. 3-5
 - d. 6-11

3. How many servings of meats do we need each day?
 - a. 1-3
 - b. 2-4
 - c. 3-4
 - d. 5-6

Session 4:

4. Why is fiber important?
 - a. Maintains proper bowel movement
 - b. Naturally alleviates constipation
 - c. Very filling
 - d. All of the above

Session 5:

True or False:

- _____ 5. Including water in your diet is not important.
6. What is the recommended amount of water we should drink each day?
 - a. 6 glasses
 - b. 8 glasses
 - c. 10 glasses
 - d. 12 glasses

 7. How much water is recommended when we participate in regular exercise?
 - a. 6-8 glasses
 - b. 3-5 glasses
 - c. 9-13 glasses
 - d. 15-20 glasses

Session 7:

8. Extra cholesterol is obtained from:
- a. Egg yolks
 - b. Meat
 - c. Higher fat milk products
 - d. All of the above

True or False:

- _____ 9. The body does not make all the cholesterol it requires.
- _____ 10. We should never eat foods that contain fat.

Session 9:

11. Which of the following is the best definition of diabetes?
- a. A diet consisting of too much sugar
 - b. A diet that helps you to lose weight
 - c. A medical condition where the body cannot break down sugar in the blood
 - d. All of the above
12. A major problem arising from eating a diet high in sugar is:
- a. Tooth decay
 - b. Sticky fingers
 - c. Bad breath
 - d. All of the above

Session 12:

13. How much salt does the average person need?
- a. 24 mg per day
 - b. 240 mg per day
 - c. 2,400 mg per day
 - d. 24,000 mg per day

Session 14:

14. Consumption of alcohol can lead to:
- a. Increased risk of stroke
 - b. Heart disease
 - c. Damage to the liver
 - d. All of the above

True or False:

- _____ 15. Alcohol and coffee are good sources of fluids.

Knowledge Assessment – Answer Key

1. b
2. b
3. b
4. d
5. F
6. b
7. c
8. d
9. F
10. F
11. c
12. a
13. c
14. d
15. F

Appendix C

Portion Size Guide

Portion Guide	
Serving of pasta or rice (½ cup)	1 cupped hand/baseball
Serving of green salad (1 cup)	2 cupped hands
Serving of meat (3 oz)	Deck of cards
Serving of salad dressing (2 Tbsp)	Small thumb
Ice cream	One scoop
Butter/margarine (1 tsp)	Tip of your thumb
Grapes, cherries, berries (1 cup)	Handful
Medium fruit (banana, orange, apple)	Whole piece
Bread	1 slice
Crackers	4-6 small crackers
French fries	10 French fries
Cheese (1 oz)	2 dominos
Hard roll (1.5 oz)	Bar of soap
Nuts (1 oz)	2 shot glasses full
Chocolate (1 oz)	Package of dental floss
Sour cream (¼ cup)	Golf ball
Oil (1 tsp)	thimble